


HP Blue Back Billboard Paper



The HP large format printing system—the complete solution

HP DesignJet Printers, Original HP inks and printheads, and Original HP printing materials are designed to work together as a system to provide reliable, consistent results with every print. HP large format



- ¹ With Original HP Latex Inks. Water resistance testing by HP Image Permanence Lab on a range of HP media and follows ISO 18935 method. For more information, see <u>HPLFMedia.</u> com/printpermanence.
- With Original HP Latex Inks. Interior in-window display ratings by HP Image Permanence Lab on a range of media including HP printing materials. For more information, see HPLFMedia/printpermanence.
- ³ With Original HP Latex Inks. HP image permanence and scratch, smudge, and water resistance estimates by HP Image Permanence Lab on a range of media including HP printing materials. For more information, see HPLFMedia/printpermanence.

Deliver durable, brilliant color

Achieve color brilliance from any distance

Produce a wide range of brilliant, engaging displays. The blue backing provides high opacity and enables reduced shine-through. Add a multilayered satin coating with high whiteness and you get enhanced contrast and bold images.

Offer durable, long-lasting prints

Choose your application. Ideal for a range of indoor and outdoor applications from popup displays to posters and billboards, this water-,¹ tear-, and scratch-resistant material provides lasting durability and display permanence indoors and out.

Gain efficiencies with this versatile material

Save time and gain efficiency. With high opacity, apply directly over previous prints. Finishing is quick with easy folding and no lamination required. And this versatile material is compatible with HP Latex, low-solvent, and UV-curable inks.

Target customers	Applications	Benefits
Print service providers	POP and retail displays	Brilliant color, enhanced contrast
	Billboards	High opacity, apply directly over previous prints
	Posters	Easy folding, durable material construction
	Photo enlargements	Water-, ¹ tear-, and scratch-resistant prints
		2+ years in-window, unlaminated display permanence ²
		1 year outdoor, unlaminated display permanence ³
		Versatile compatibility with HP Latex, low-solvent, and UV-curable inks

Technical specifications



HP Blue Back Billboard Paper

For the latest ICC profiles/paper presets, please visit HPLFMedia/paperpresets.

Inickness 165 microns/6.5 mil per ISO 534 Test Method Opacity 99% minimum per TAPPI T-425 Test Method Brightness 91% minimum per TAPPI T-425 Test Method Whiteness 109 per CIE Ganz 82 Test Method Finish Satin Operating temperature 10 to 35° C / 59 to 95° F Operating temperature 10 to 35° C / 59 to 95° F Operating humidity 35 to 65% RH Display permanence (Commercial in-window) 2+ years, unlaminated with Original HP Latex Inks ⁴ Display permanence (Outdoor) 1 year, unlaminated with Original HP Latex Inks ⁴ Water resistance Water resistant with Original HP Latex Inks ⁶ Dry time 15 minutes (at 23° C, 50% RH) Shelf life 2 years, unopened in original packaging Storage temperature 10 to 30° C / 50 to 86° F Storage temperature 10 to 30° C / 50 to 86° F Storage temperature 10 to 30° C / 50 to 86° F Country of origin Product numbers Roll sizes UPC codes Region Ordering information CG502A 1372 mm x 80 m (54 in x 262 ft) 848412009491 North America, Europe Warranty HP large format printing materials are free from defects in materials and workmanship. Fo							
Opacity 99% minimum per TAPPI T-425 Test Method Brightness 91% minimum per TAPPI T-452 Test Method Whiteness 109 per CIE Ganz 82 Test Method Finish Satin Operating temperature 10 to 35° C / 59 to 95° F Operating humidity 35 to 65% RH Display permanence (commercial in-window) 2+ years, unlaminated with Original HP Latex Inks ⁴ Display permanence (commercial in-window) 1 year, unlaminated with Original HP Latex Inks ⁴ Display permanence 1 year, unlaminated with Original HP Latex Inks ⁶ Dry time 15 minutes (at 23° C, 50% RH) Stelf life 2 years, unopened in original packaging Storage temperature 10 to 30° C / 50 to 86° F Storage temperature 10 to 30° C / 50 to 86° F Storage temperature 10 to 30° C / 50 to 86° F Storage temperature 10 to 30° C / 50 to 86° F Storage temperature 10 to 30° C / 50 to 86° F Storage temperature 10 to 30° C / 50 to 86° F Storage temperature 10 to 30° C / 50 to 86° F Storage temperature 10 to 30° C / 50 to 86° F Storage temperature 10 to 30° C / 50 to 86° F Storage temperature 10 t	Weight	123 g/m² per ISO 536 Test Method					
Brightness 91% minimum per TAPPI T-452 Test Method Brightness 109 per CIE Ganz 82 Test Method Finish Satin Operating temperature 10 to 35° C / 59 to 95° F Operating humidity 35 to 65% RH Display permanence (Commercial in-window) 2* years, unlaminated with Original HP Latex Inks ⁴ Display permanence (Outdoor) 1 year, unlaminated with Original HP Latex Inks ⁶ Water resistance Water resistant with Original HP Latex Inks ⁶ Dry time 15 minutes (at 23° C, 50% RH) Shelf life 2 years, unopened in original packaging Storage temperature 10 to 30° C / 50 to 86° F Storage humidity 35 to 65% RH Country of origin Product numbers Roll sizes UPC codes Region Ordering information CG502A 1372 mm x 80 m (54 in x 262 ft) 848412009491 North America, Europe Warranty HP large format printing materials are free from defects in materials and workmanship. For warranty statement, please see HPLEMedia.com/mediawarranties. To obtain warranty service, please contact	Thickness	165 microns/6.5 mil per ISO 534 Test Method					
Whiteness 109 per CIE Ganz 82 Test Method Finish Satin Operating temperature 10 to 35° C / 59 to 95° F Operating humidity 35 to 65% RH Display permanence (Commercial in-window) 2* years, unlaminated with Original HP Latex Inks ⁴ Display permanence (Outdoor) 1 year, unlaminated with Original HP Latex Inks ⁶ Water resistance Water resistant with Original HP Latex Inks ⁶ Dry time 15 minutes (at 23° C, 50% RH) Shelf life 2 years, unopened in original packaging Storage temperature 10 to 30° C / 50 to 86° F Storage humidity 35 to 65% RH Country of origin Product of Italy Ordering information Product numbers Roll sizes (G502A UPC codes 1372 mm x 80 m (54 in x 262 ft) Region 848412009491 Warranty HP large format printing materials are free from defects in materials and workmanship. For warranty statement, please see <u>HDLEMedia.com/mediawarrantize</u> . To obtain warranty service, please contact	Opacity	99% minimum per TAPPI T-425 Test Method					
Finish Satin Operating temperature 10 to 35° C / 59 to 95° F Operating humidity 35 to 65% RH Display permanence 2+ years, unlaminated with Original HP Latex Inks ⁴ (Commercial in-window) 1 year, unlaminated with Original HP Latex Inks ⁵ Display permanence 1 year, unlaminated with Original HP Latex Inks ⁶ (Outdoor) 1 year, unlaminated with Original HP Latex Inks ⁶ Water resistance Water resistant with Original HP Latex Inks ⁶ Dry time 15 minutes (at 23° C, 50% RH) Shelf life 2 years, unopened in original packaging Storage temperature 10 to 30° C / 50 to 86° F Storage humidity 35 to 65% RH Country of origin Product of Italy Ordering information Product numbers Roll sizes UPC codes Region C6502A 1372 mm x 80 m (63 in x 262 ft) 848412009491 North America, Europe Warranty HP large format printing materials are free from defects in materials and workmanship. For warranty statement, please see HPLEMedia.com/mediawarranties. To obtain warranty service, please contact	Brightness	91% minimum per TAPPI T-452 Test Method					
Operating temperature 10 to 35° C / 59 to 95° F Operating humidity 35 to 65% RH Display permanence 2+ years, unlaminated with Original HP Latex Inks ⁴ (Commercial in-window) 2+ years, unlaminated with Original HP Latex Inks ⁴ Display permanence 1 year, unlaminated with Original HP Latex Inks ⁶ Operating humidity 2+ years, unlaminated with Original HP Latex Inks ⁶ Display permanence 1 year, unlaminated with Original HP Latex Inks ⁶ Operating humidity 2 Shelf life 2 years, unopened in original packaging Storage temperature 10 to 30° C / 50 to 86° F Storage humidity 35 to 65% RH Country of origin Product of Italy Ordering information Product numbers Roll sizes UPC codes Region C6502A 1372 mm x 80 m (54 in x 262 ft) 848412009491 North America, Europe Warranty HP large format printing materials are free from defects in materials and workmanship. For warranty statement, please see HPLEMedia.com/mediawarranties. To obtain warranty service, please contact	Whiteness	109 per CIE Ganz 82 Test Method					
Operating humidity 35 to 65% RH Display permanence (Commercial in-window) 2+ years, unlaminated with Original HP Latex Inks ⁴ Display permanence (Coundoor) 1 year, unlaminated with Original HP Latex Inks ⁵ Water resistance Water resistant with Original HP Latex Inks ⁶ Dry time 15 minutes (at 23° C, 50% RH) Shelf life 2 years, unopened in original packaging Storage temperature 10 to 30° C / 50 to 86° F Storage humidity 35 to 65% RH Country of origin Product of Italy Ordering information Product numbers Roll sizes (G502A) CG502A 1372 mm x 80 m (54 in x 262 ft) 848412009781 North America, Europe United States, Europe Warranty HP large format printing materials are free from defects in materials and workmanship. For warranty statement, please see HPLEMedia.com/mediawarranties. To obtain warranty service, please contact	Finish	Satin					
Display permanence (commercial in-window) 2+ years, unlaminated with Original HP Latex Inks ⁴ Display permanence (outdoor) 1 year, unlaminated with Original HP Latex Inks ⁵ Water resistance Water resistant with Original HP Latex Inks ⁶ Dry time 15 minutes (at 23° C, 50% RH) Shelf life 2 years, unopened in original packaging Storage temperature 10 to 30° C / 50 to 86° F Storage humidity 35 to 65% RH Country of origin Product of Italy Ordering information Product numbers Region North America, Europe G502A 1372 mm x 80 m (54 in x 262 ft) 848412009781 United States, Europe Warranty HP large format printing materials are free from defects in materials and workmanship. For warranty statement, please see	Operating temperature	10 to 35° C / 59 to 95° F					
(Commercial in-window) 1 year, unlaminated with Original HP Latex Inks ⁵ Display permanence (Outdoor) 1 year, unlaminated with Original HP Latex Inks ⁶ Water resistance Water resistant with Original HP Latex Inks ⁶ Dry time 15 minutes (at 23° C, 50% RH) Shelf life 2 years, unopened in original packaging Storage temperature 10 to 30° C / 50 to 86° F Storage humidity 35 to 65% RH Country of origin Product of Italy Ordering information Product numbers Roll sizes (G502A) (G502A) 1372 mm x 80 m (54 in x 262 ft) 848412009491 North America, Europe United States,	Operating humidity	35 to 65% RH					
(Outdoor) Water resistant with Original HP Latex Inks ⁶ Water resistance Water resistant with Original HP Latex Inks ⁶ Dry time 15 minutes (at 23° C, 50% RH) Shelf life 2 years, unopened in original packaging Storage temperature 10 to 30° C / 50 to 86° F Storage humidity 35 to 65% RH Country of origin Product of Italy Ordering information Product numbers Roll sizes UPC codes Region CG502A 1372 mm x 80 m (54 in x 262 ft) 848412009491 North America, Europe CG503A 1603 mm x 80 m (63 in x 262 ft) 848412009781 United States, Europe Warranty HP large format printing materials are free from defects in materials and workmanship. For warranty statement, please see HPLFMedia.com/mediawarranties. To obtain warranty service, please contact	Display permanence (Commercial in-window)	2+ years, unlaminated with Original HP Latex Inks ⁴					
Dry time 15 minutes (at 23° C, 50% RH) Shelf life 2 years, unopened in original packaging Storage temperature 10 to 30° C / 50 to 86° F Storage humidity 35 to 65% RH Country of origin Product of Italy Ordering information Product numbers Roll sizes UPC codes Region CG502A 1372 mm x 80 m (54 in x 262 ft) 848412009781 United States, Europe Warranty HP large format printing materials are free from defects in materials and workmanship. For warranty statement, please see	Display permanence (Outdoor)	1 year, unlaminated with Original HP Latex Inks ⁵					
Shelf life 2 years, unopened in original packaging Storage temperature 10 to 30° C / 50 to 86° F Storage humidity 35 to 65% RH Country of origin Product of Italy Ordering information Product numbers Roll sizes UPC codes Region CG502A 1372 mm x 80 m (54 in x 262 ft) 848412009491 North America, Europe UG503A 1603 mm x 80 m (63 in x 262 ft) 848412009781 United States, Europe Warranty HP large format printing materials are free from defects in materials and workmanship. For warranty statement, please see HPLFMedia.com/mediawarranties. To obtain warranty service, please contact	Water resistance	Water resistant with Original HP Latex Inks ⁶					
Storage temperature 10 to 30° C / 50 to 86° F Storage humidity 35 to 65% RH Country of origin Product of Italy Ordering information Product numbers Roll sizes UPC codes Region CG502A 1372 mm x 80 m (54 in x 262 ft) 848412009491 North America, Europe CG503A 1603 mm x 80 m (63 in x 262 ft) 848412009781 United States, Europe Warranty HP large format printing materials are free from defects in materials and workmanship. For warranty statement, please see HPLFMedia.com/mediawarranties. To obtain warranty service, please contact	Dry time	15 minutes (at 23° C, 50% RH)					
Storage humidity 35 to 65% RH Country of origin Product of Italy Ordering information Product numbers Roll sizes UPC codes Region CG502A 1372 mm x 80 m (54 in x 262 ft) 848412009491 North America, Europe CG503A 1603 mm x 80 m (63 in x 262 ft) 848412009781 United States, Europe Warranty HP large format printing materials are free from defects in materials and workmanship. For warranty statement, please see HPLFMedia.com/mediawarranties. To obtain warranty service, please contact	Shelf life	2 years, unopened in original packaging					
Country of origin Product of Italy Ordering information Product numbers Roll sizes UPC codes Region CG502A 1372 mm x 80 m (54 in x 262 ft) 848412009491 North America, Europe CG503A 1603 mm x 80 m (63 in x 262 ft) 848412009781 United States, Europe Warranty HP large format printing materials are free from defects in materials and workmanship. For warranty statement, please see HPLFMedia.com/mediawarranties. To obtain warranty service, please contact	Storage temperature	10 to 30° C / 50 to 86° F					
Ordering information Product numbers Roll sizes UPC codes Region CG502A 1372 mm x 80 m (54 in x 262 ft) 848412009491 North America, Europe CG503A 1603 mm x 80 m (63 in x 262 ft) 848412009781 United States, Europe Warranty HP large format printing materials are free from defects in materials and workmanship. For warranty statement, please see HPLFMedia.com/mediawarranties. To obtain warranty service, please contact	Storage humidity	35 to 65% RH					
CG502A 1372 mm x 80 m (54 in x 262 ft) 848412009491 North America, Europe CG503A 1603 mm x 80 m (63 in x 262 ft) 848412009781 United States, Europe Warranty HP large format printing materials are free from defects in materials and workmanship. For warranty statement, please see HPLFMedia.com/mediawarranties. To obtain warranty service, please contact	Country of origin	Product of Italy					
CG503A 1603 mm x 80 m (63 in x 262 ft) 848412009781 United States, Europe Warranty HP large format printing materials are free from defects in materials and workmanship. For warranty statement, please see HPLFMedia.com/mediawarranties. To obtain warranty service, please contact	Ordering information	Product num	bers Roll sizes	UPC codes	Region		
Warranty HP large format printing materials are free from defects in materials and workmanship. For warranty statement, please see <u>HPLFMedia.com/mediawarranties</u> . To obtain warranty service, please contact		CG502A	1372 mm x 80 m (54 in x 262 ft)	848412009491	North America, Europe		
statement, please see <u>HPLFMedia.com/mediawarranties</u> . To obtain warranty service, please contact		CG503A	1603 mm x 80 m (63 in x 262 ft)	848412009781	United States, Europe		
	Warranty	HP large format printing materials are free from defects in materials and workmanship. For warranty statement, please see <u>HPLFMedia.com/mediawarranties</u> . To obtain warranty service, please contact Branc Management Group customer support at <u>HPLFMedia.com/hp/en/contactus</u> .					

⁴ Interior in-window display ratings by HP Image Permanence Lab on a range of media including HP printing materials. For more information, see HPLFMedia.com/printpermanence.

⁵ HP image permanence and scratch, smudge, and water resistance estimates by HP Image Permanence Lab on a range of media including HP printing materials. For more information, see HPLFMedia.com/printpermanence.

⁶ Water resistance testing by HP Image Permanence Lab on a range of HP media and follows ISO 18935 method. For more information, see HPLFMedia.com/printpermanence.

For information about HP Sign and Display Printing Materials for HP Latex and UV printers, please visit HPLFMedia.com/signagemedia

© 2016 HP Development Company, L.P. © 2016 Brand Management Group. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP and BMG shall not be liable for technical or editorial errors or omissions contained herein.

