


HP Heavyweight Coated Paper



The HP DesignJet printing system—the complete solution

HP DesignJet printers, Original HP inks and printheads, Original HP printing materials and HP Scitex printers, are designed to work together as a system to provide reliable, consistent results with every print.



Accomplish more with consistent results

Produce high-quality, fast-drying results

Roll or stack your time-sensitive documents right off the printer. Ideal for rich, color-accurate prints, working comps, and design proofs, this heavyweight paper is easy to handle and provides high-quality, consistent results. From line drawings to illustrations and light ink-density graphics, see high-quality, consistent image quality print to print and roll to roll.

Improve your response time

Handle prints with confidence right off the printer. An enhanced coating provides ink abrasion resistance to help you deliver on quick turnaround times.

Do more, with the environment in mind

Gain versatility with this premium bright white paper. From working comps and design proofs to fine line drawings and illustrations, meet the project needs and the environmental objectives of your company and clients with this recyclable paper.¹

Target customers	Applications	Benefits Rich, color-accurate prints and consistent, high-quality results	
Architects	Posters and presentations		
Engineers	POP and retail displays	Resistance to ink abrasion for easy handling	
Geographic Information Systems (GIS) professionals	Geographic Information Systems (GIS)	100+ years display permanence indoor ² ; in-window 3 months unlaminated, 2 years laminated ³	
Graphic designers	Architecture (AEC) and engineering (MCAD)	Recyclable through commonly available program ¹	
Print service providers			

Technical specifications



HP Heavyweight Coated Paper

For the latest ICC/media profiles and a variety of resources to help you get the most out of your printer and HP large format printing materials, please visit **HPLFMedia.com/paperpresets**.

130 g/m² per IS0	130 g/m² per ISO 536 Test Method, (35 lbs)				
167 microns/6.6 mil per ISO 534 Test Method					
96% per TAPPI T	96% per TAPPI T-425 Test Method				
89% per TAPPI T	89% per TAPPI T-452 Test Method				
144 per CIE Gan:	144 per CIE Ganz 82 Test Method				
Matte	Matte				
15 to 35° C / 59	15 to 35° C / 59 to 95° F				
20 to 80% RH	20 to 80% RH				
100+ years with Original HP 83 UV inks²					
3 months unlar	3 months unlaminated, 2 years laminated with Original HP 91 Photo Inks ³				
Immediate (at 2	Immediate (at 23° C, 50% RH)				
1 year, unopene	1 year, unopened in original packaging				
0 to 40° C / 32 to	0 to 40° C / 32 to 104° F				
5 to 95% RH	5 to 95% RH				
Recyclable through commonly available recycling programs ¹					
Product of Germ	Product of Germany				
Product numbers	Roll sizes	UPC Codes	Region		
C6029C	610 mm x 30,5 m (24 in x 100 ft)	848412013108	North America, Europe, Asia		
C6030C	914 mm x 30,5 m (36 in x 100 ft)	848412013115	Worldwide		
C6569C	1067 mm x 30,5 m (42 in x 100 ft)	848412013122	Worldwide		
C6570C	1372 mm x 30,5 m (54 in x 100 ft)	848412013146	North America, Europe, Asia		
C6977C	1524 mm x 30,5 m (60 in x 100 ft)	848412013153	Worldwide		
Q1956A	1067 mm x 67,5 m (42 in x 225 ft)	848412013139	North America, Europe		
Q1957A	1524 mm x 67,5 m (60 in x 225 ft)	848412013160	North America, Europe		
statement pleas	e see <mark>HPLFMedia.com/MediaWarra</mark> n	ties. To obtain wa	rranty service, please contact		
	167 microns/6.6 96% per TAPPI T 89% per TAPPI T 144 per CIE Gan: Matte 15 to 35° C / 59 20 to 80% RH 100+ years with 3 months unlam Immediate (at 2: 1 year, unopened 0 to 40° C / 32 to 5 to 95% RH Recyclable throuproduct of Germ Product numbers C6029C C6530C C6569C C6570C C6977C Q1956A Q1957A HP large format statement please	167 microns/6.6 mil per ISO 534 Test Method 96% per TAPPI T-425 Test Method 89% per TAPPI T-452 Test Method 144 per CIE Ganz 82 Test Method Matte 15 to 35° C / 59 to 95° F 20 to 80% RH 100+ years with Original HP 83 UV inks² 3 months unlaminated, 2 years laminated with Original Immediate (at 23° C, 50% RH) 1 year, unopened in original packaging 0 to 40° C / 32 to 104° F 5 to 95% RH Recyclable through commonly available recycling programmed Froduct of Germany Product numbers Roll sizes C6029C 610 mm x 30,5 m (24 in x 100 ft) C6569C 1067 mm x 30,5 m (36 in x 100 ft) C6570C 1372 mm x 30,5 m (54 in x 100 ft) C6570C 1372 mm x 30,5 m (60 in x 100 ft) Q1956A 1067 mm x 67,5 m (42 in x 225 ft) HP large format printing materials are free from defestatement please see HPLFMedia.com/MediaWarran	167 microns/6.6 mil per ISO 534 Test Method 96% per TAPPI T-425 Test Method 89% per TAPPI T-452 Test Method 144 per CIE Ganz 82 Test Method Matte 15 to 35° C / 59 to 95° F 20 to 80% RH 100+ years with Original HP 83 UV inks² 3 months unlaminated, 2 years laminated with Original HP 91 Photo Inks Immediate (at 23° C, 50% RH) 1 year, unopened in original packaging 0 to 40° C / 32 to 104° F 5 to 95% RH Recyclable through commonly available recycling programs¹ Product of Germany Product numbers Roll sizes UPC Codes C6029C 610 mm x 30,5 m (24 in x 100 ft) 848412013118 C6569C 1067 mm x 30,5 m (36 in x 100 ft) 848412013112 C6570C 1372 mm x 30,5 m (54 in x 100 ft) 8484120131146 C6977C 1524 mm x 30,5 m (60 in x 100 ft) 848412013153 Q1956A 1067 mm x 67,5 m (42 in x 225 ft) 848412013139		

¹ HP Large Format Media take-back program availability varies. Some recyclable HP papers can be recycled through commonly available recycling programs. Recycling programs may not exist in your area. See HPLF-Media.com/hp/ecosolutions for details.

³ With Original HP 91 Photo Inks. Interior in-window display ratings by HP Image Permanence Lab on a range of HP media. HP predictions based on test data under Xenon-Arc illuminant—calculation assumes 6,000 Lux/12 hr day. For more information, see HPLFMedia.com/printpermanence.



For detailed information on the HP large format printing materials portfolio and to order, visit HPLFMedia.com

© 2017 HP Development Company, L.P. © 2017 Brand Management Group. The information contained herein is subject to change without notice.

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP and BMG shall not be liable for technical or editorial errors or omissions contained herein.

HP is a registered trademark of HP Development Company, L.P. and is used by Brand Management Group on license from HP Development Company, L.P.



² With Original HP 83 UV inks. Display permanence rating for interior displays/away from direct sunlight, under glass by HP Image Permanence Lab and/or by Wilhelm Imaging Research, Inc. on a range of HP media. For more information, see HPLFMedia.com/printpermanence.