



KODAK PROFESSIONAL

Inkjet Photo Paper, Metallic / 255g

Next-generation metallic prints

The latest printer and ink technology

The next-generation KODAK PROFESSIONAL Inkjet Photo Paper, Metallic / 255g allows users to produce stunning metallic prints previously only available in a traditional darkroom.

Metallic finish

The metallic, high gloss finish duplicates the characteristics of the KODAK Endura Metallic paper users have preferred for years.

Accurate reproduction

It has a larger color gamut and higher Dmax to ensure that color captured in-camera reproduces more accurately, while producing deeper, richer blacks, an expanded dynamic range and additional detail in shadow areas. This paper is compatible with all leading dye and pigment photo inkjet printers.

APPLICATIONS:

- Wedding, portrait, landscape and exhibition photography
- High-end retail and display graphics
- Corporate and home décor

FEATURES:

- Expanded color gamut and higher Dmax
- KODAK PROFESSIONAL backprint
- Engineered to lay flat with little to no curl
- Compatible with both dye and pigment inks

US Size	Euro Size	Quantity	SKU
8.5" x 11"	20,08 cm x 29,72 cm	50 Sheets	KPRO8511MTL
13" x 19"	33,02 cm x 48,26 cm	20 Sheets	KPRO1319MTL
*(A4) 8.3" x 11.7"	20,08 cm x 29,72 cm	50 sheets	KPROA4MTL
*(A3+) 13" x 19"	33,02 cm x 48,26 cm	20 sheets	KPROA3+MTL
10" x 100'	25,4 cm x 30,5 m	1 Roll	KPRO10MTL
16" x 100'	40,64 cm x 30,5 m	1 Roll	KPRO16MTL
17" x 100'	43,2 cm x 30,5 m	1 Roll	KPRO17MTL
36" x 100'	91,4 cm x 30,5 m	1 Roll	KPRO36MTL
44" x 100'	111,8 cm x 30,5 m	1 Roll	KPRO44MTL
36" x 100'	91,4 cm x 30,5 m	1 Roll	KPRO36MTL
44" x 100'	111,8 cm x 30,5 m	1 Roll	KPRO44MTL
60" x 100'	152,4 cm x 30,5 m	1 Roll	KPRO60MTL



KODAK PROFESSIONAL

Inkjet Photo Paper Metallic / 255g

Properties	Specifications
Material	PE gloss paper
Gauge	255 +/-7 microns
Gloss Level	> 130
Whiteness	>130
Printer/Ink Compatibility	Dye/pigment
Software Setting	The coating is engineered for more than 300% ink coverage. A photo gloss, satin or semi-gloss setting is recommended as a starting point. However, a custom ICC profile is ideal to ensure optimal results.
Light Fastness	Inkjet ink fading time is based on the inks you use and the print display environment. For light-fastness data contact the ink manufacturer.
Finishing/Post Processing	It is always recommended that you protect the printed side by mounting under glass, laminating, clear coating, or using photographic sleeves. This will help ensure image durability and stability. Pressure sensitive laminates provide the best bond. Applying the laminate by hand is not recommended.
Handling Recommendations	Avoid touching the coated surface and use cotton gloves when handling inkjet coated materials. Rolls of Kodak inkjet media come with the coated side facing out.
Ideal Storage Conditions	70° F (21° C), 50% R.H. (a controlled environment is recommended); store in original packaging
Shelf Life	1 year from the BMG ship date when stored in proper conditions.



AMS: 888-893-46687
EMEA: +34 935 479 700
APJ: +61 2 8038 5013

KodakWFMedia.com

The Kodak trademark, logo, and trade dress are used under license from Kodak.

© 2017, Brand Management Group

